



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/709,433	11/13/2000	Jeff Stewart	MIME-0003	4323
23550 7590 04/02/2008 HOFFMAN WARNICK & D'ALESSANDRO, LLC 75 STATE STREET 14TH FLOOR ALBANY, NY 12207				
EXAMINER CAMPBELL, JOSHUA D				
ART UNIT 2178		PAPER NUMBER		
NOTIFICATION DATE 04/02/2008		DELIVERY MODE ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTOCommunications@hwdpatents.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
09709433	11/13/00	STEWART ET AL.	MIME-0003

HOFFMAN WARNICK & D'ALESSANDRO, LLC
75 STATE STREET
14TH FLOOR
ALBANY, NY 12207

EXAMINER

JOSHUA D. CAMPBELL

ART UNIT	PAPER
----------	-------

2178 20080325

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Regarding application number 09/709,433,

The examiner's answer mailed on 11/28/2006 incorrectly refers to the Adamske et al. reference as being US Patent Number 6,625,234. The reference Adamske reference was properly used in the rejections and properly listed as US Patent Number 6,615,234 in the 892 mailed on 1/12/2004. This correspondence is solely for correcting the record of the clerical error made when listing the Patent Number of the reference in the examiner's answer, no further action by the Appellant is necessary.

/Stephen S. Hong/
Supervisory Patent Examiner, Art Unit 2178

Joshua D. Campbell
Art Unit 2178
March 26, 2008
(571)272-4133